



The QA40 Atomizer uses ultrasonic energy to generate a low-velocity, gentle spray. The sample can be precisely delivered to the target area. Overspray is virtually eliminated resulting in material savings. The atomizer can run continuously or be programmed to pulse on and off.

With water, the average droplet size is 50 microns. The minimum sample volume that can be effectively atomized is 2 μ l/sec. To optimize atomization, the liquid product's solid concentration must be below 30% and viscosity below 50 cps. A low pressure metering pump is recommended to deliver the liquid sample to the nozzle. Gravity feed can also be utilized.

FEATURES:

- 50 micron droplet size
- Programmable operation
- Multiple probe options

PART NO. QA40 INCLUDES:

- Generator
- Converter
- Standard probe
- Power cable
- Converter cable
- Wrench set

TECHNICAL SPECIFICATIONS:

Frequency:	40 kHz
Programmable Timer:	10 hours
Adjustable Pulse On/Off:	1 second to 1 minute
Dimensions:	8" W x 13.75" L x 5.75" H
Voltage:	110V, 50/60 Hz

Specify desired voltage for export.

000 «Диаэм»

Москва
 ул. Магаданская, д. 7, к. 3 ■ тел./факс: (495) 745-0508 ■ sales@dia-m.ru

www.dia-m.ru

С.-Петербург
 +7 (812) 372-6040
spb@dia-m.ru

Новосибирск
 +7 (383) 328-0048
nsk@dia-m.ru

Воронеж
 +7 (473) 232-4412
vrn@dia-m.ru

Йошкар-Ола
 +7 (927) 880-3676
nba@dia-m.ru

Красноярск
 +7 (923) 303-0152
krsk@dia-m.ru

Казань
 +7 (843) 210-2080
kazan@dia-m.ru

Ростов-на-Дону
 +7 (863) 303-5500
rnd@dia-m.ru

Екатеринбург
 +7 (912) 658-7606
ekb@dia-m.ru

Кемерово
 +7 (923) 158-6753
kemerovo@dia-m.ru

Армения
 +7 (094) 01-0173
armenia@dia-m.ru

